



TABLE 40: Human Health Water Quality Criteria for Toxic Pollutants

Effective October 17, 2011

Human Health Criteria Summary

The concentration for each pollutant listed in Table 40 was derived to protect Oregonians from potential adverse health impacts associated with long-term exposure to toxic substances associated with consumption of fish, shellfish, and water. The “organism only” criteria are established to protect fish and shellfish consumption and apply to waters of the state designated for fishing. The “water + organism” criteria are established to protect the consumption of drinking water, fish, and shellfish, and apply where both fishing and domestic water supply (public and private) are designated uses. All criteria are expressed as micrograms per liter (µg/L), unless otherwise noted. Pollutants are listed in alphabetical order. Additional information includes the Chemical Abstract Service (CAS) number, whether the criterion is based on carcinogenic effects (can cause cancer in humans), and whether there is an aquatic life criterion for the pollutant (i.e. “y”= yes, “n” = no). All the human health criteria were calculated using a fish consumption rate of 175 grams per day unless otherwise noted. A fish consumption rate of 175 grams per day is approximately equal to 23 8-ounce fish meals per month. For pollutants categorized as carcinogens, values represent a cancer risk of one additional case of cancer in one million people (i.e. 10^{-6}), unless otherwise noted. All metals criteria are for total metal concentration, unless otherwise noted. Italicized pollutants represent non-priority pollutants. The human health criteria revisions established by OAR 340-041-0033 and shown in Table 40 do not become applicable for purposes of ORS chapter 468B or the federal Clean Water Act until approved by EPA pursuant to 40 CFR 131.21 (4/27/2000).

No.	Pollutant	CAS No.	Carcinogen	Aquatic Life Criterion	Human Health Criteria for the Consumption of:	
					Water + Organism (µg/L)	Organism Only (µg/L)
1	Acenaphthene	83329	n	n	95	99
2	Acrolein	107028	n	n	0.88	0.93
3	Acrylonitrile	107131	y	n	0.018	0.025
4	Aldrin	309002	y	y	0.0000050	0.0000050
5	Anthracene	120127	n	n	2900	4000
6	Antimony	7440360	n	n	5.1	64
7	Arsenic (inorganic) ^A	7440382	y	n	2.1	2.1 (freshwater) 1.0 (saltwater)
^A The arsenic criteria are expressed as total inorganic arsenic. The “organism only” criteria are based on a risk level of approximately of 1.1×10^{-5} , and the “water + organism” criterion is based on a risk level of 1×10^{-4}						
8	Asbestos ^B	1332214	y	n	7,000,000 fibers/L	--
^B The human health risks from asbestos are primarily from drinking water, therefore no “organism only” criterion was developed. The “water + organism” criterion is based on the Maximum Contaminant Level (MCL) established under the Safe Drinking Water Act.						
9	Barium ^C	7440393	n	n	1000	--



No.	Pollutant	CAS No.	Carcinogen	Aquatic Life Criterion	Human Health Criteria for the Consumption of:	
					Water + Organism (µg/L)	Organism Only (µg/L)
<p>^C The human health criterion for barium is the same as originally published in the 1976 EPA Red Book which predates the 1980 methodology and did not utilize the fish ingestion BCF approach. This same criterion value was also published in the 1986 EPA Gold Book. Human health risks are primarily from drinking water, therefore no "organism only" criterion was developed. The "water + organism" criterion is based on the Maximum Contaminant Level (MCL) established under the Safe Drinking Water Act.</p>						
10	Benzene	71432	y	n	0.44	1.4
11	Benzidine	92875	y	n	0.000018	0.000020
12	Benz(a)anthracene	56553	y	n	0.0013	0.0018
13	Benzo(a)pyrene	50328	y	n	0.0013	0.0018
14	Benzo(b)fluoranthene 3,4	205992	y	n	0.0013	0.0018
15	Benzo(k)fluoranthene	207089	y	n	0.0013	0.0018
16	BHC Alpha	319846	y	n	0.00045	0.00049
17	BHC Beta	319857	y	n	0.0016	0.0017
18	BHC Gamma (Lindane)	58899	n	y	0.17	0.18
19	Bromoform	75252	y	n	3.3	14
20	Butylbenzyl Phthalate	85687	n	n	190	190
21	Carbon Tetrachloride	56235	y	n	0.10	0.16
22	Chlordane	57749	y	y	0.000081	0.000081
23	Chlorobenzene	108907	n	n	74	160
24	Chlorodibromomethane	124481	y	n	0.31	1.3
25	Chloroethyl Ether bis 2	111444	y	n	0.020	0.05
26	Chloroform	67663	n	n	260	1100
27	Chloroisopropyl Ether bis 2	108601	n	n	1200	6500
28	Chloromethyl ether, bis	542881	y	n	0.000024	0.000029
29	Chloronaphthalene 2	91587	n	n	150	160
30	Chlorophenol 2	95578	n	n	14	15
31	Chlorophenoxy Herbicide (2,4,5,-TP) ^D	93721	n	n	10	--
<p>^D The Chlorophenoxy Herbicide (2,4,5,-TP) criterion is the same as originally published in the 1976 EPA Red Book which predates the 1980 methodology and did not utilize the fish ingestion BCF approach. This same criterion value was also published in the 1986 EPA Gold Book. Human health risks are primarily from drinking water, therefore no "organism only" criterion was developed. The "water + organism" criterion is based on the Maximum Contaminant Level (MCL) established under the Safe Drinking Water Act.</p>						
32	Chlorophenoxy Herbicide (2,4-D) ^E	94757	n	n	100	--
<p>^E The Chlorophenoxy Herbicide (2,4-D) criterion is the same as originally published in the 1976 EPA Red Book which predates the 1980 methodology and did not utilize the fish ingestion BCF approach. This same criterion value was also published in the 1986 EPA Gold Book. Human health risks are primarily from drinking water, therefore no "organism only" criterion was developed. The "water + organism" criterion is based on the Maximum Contaminant Level (MCL) established under the Safe Drinking Water Act.</p>						
33	Chrysene	218019	y	n	0.0013	0.0018
34	Copper ^F	7440508	n	y	1300	--
<p>^F Human health risks from copper are primarily from drinking water, therefore no "organism only" criterion was developed. The "water + organism" criterion is based on the Maximum Contaminant Level (MCL) established under the Safe Drinking Water Act.</p>						
35	Cyanide ^G	57125	n	y	130	130
<p>^G The cyanide criterion is expressed as total cyanide (CN)/L.</p>						
36	DDD 4,4'	72548	y	n	0.000031	0.000031
37	DDE 4,4'	72559	y	n	0.000022	0.000022



No.	Pollutant	CAS No.	Carcinogen	Aquatic Life Criterion	Human Health Criteria for the Consumption of:	
					Water + Organism (µg/L)	Organism Only (µg/L)
38	DDT 4,4'	50293	y	y	0.000022	0.000022
39	Dibenz(a,h)anthracene	53703	y	n	0.0013	0.0018
40	Dichlorobenzene(m) 1,3	541731	n	n	80	96
41	Dichlorobenzene(o) 1,2	95501	n	n	110	130
42	Dichlorobenzene(p) 1,4	106467	n	n	16	19
43	Dichlorobenzidine 3,3'	91941	y	n	0.0027	0.0028
44	Dichlorobromomethane	75274	y	n	0.42	1.7
45	Dichloroethane 1,2	107062	y	n	0.35	3.7
46	Dichloroethylene 1,1	75354	n	n	230	710
47	Dichloroethylene trans 1,2	156605	n	n	120	1000
48	Dichlorophenol 2,4	120832	n	n	23	29
49	Dichloropropane 1,2	78875	y	n	0.38	1.5
50	Dichloropropene 1,3	542756	y	n	0.30	2.1
51	Dieldrin	60571	y	y	0.0000053	0.0000054
52	Diethyl Phthalate	84662	n	n	3800	4400
53	Dimethyl Phthalate	131113	n	n	84000	110000
54	Dimethylphenol 2,4	105679	n	n	76	85
55	Di-n-butyl Phthalate	84742	n	n	400	450
56	Dinitrophenol 2,4	51285	n	n	62	530
57	<i>Dinitrophenols</i>	25550587	n	n	62	530
58	Dinitrotoluene 2,4	121142	y	n	0.084	0.34
59	Dioxin (2,3,7,8-TCDD)	1746016	y	n	0.00000000051	0.00000000051
60	Diphenylhydrazine 1,2	122667	y	n	0.014	0.020
61	Endosulfan Alpha	959988	n	y	8.5	8.9
62	Endosulfan Beta	33213659	n	y	8.5	8.9
63	Endosulfan Sulfate	1031078	n	n	8.5	8.9
64	Endrin	72208	n	y	0.024	0.024
65	Endrin Aldehyde	7421934	n	n	0.030	0.030
66	Ethylbenzene	100414	n	n	160	210
67	Ethylhexyl Phthalate bis 2	117817	y	n	0.20	0.22
68	Fluoranthene	206440	n	n	14	14
69	Fluorene	86737	n	n	390	530
70	Heptachlor	76448	y	y	0.0000079	0.0000079
71	Heptachlor Epoxide	1024573	y	y	0.0000039	0.0000039
72	Hexachlorobenzene	118741	y	n	0.000029	0.000029
73	Hexachlorobutadiene	87683	y	n	0.36	1.8
74	<i>Hexachlorocyclo-hexane-Technical</i>	608731	y	n	0.0014	0.0015
75	Hexachlorocyclopentadiene	77474	n	n	30	110
76	Hexachloroethane	67721	y	n	0.29	0.33
77	Indeno(1,2,3-cd)pyrene	193395	y	n	0.0013	0.0018
78	Isophorone	78591	y	n	27	96
79	<i>Manganese^H</i>	7439965	n	n	--	100

^H The "fish consumption only" criterion for manganese applies only to salt water and is for total manganese. This EPA recommended criterion predates the 1980 human health methodology and does not utilize the fish ingestion BCF calculation



No.	Pollutant	CAS No.	Carcinogen	Aquatic Life Criterion	Human Health Criteria for the Consumption of:	
					Water + Organism (µg/L)	Organism Only (µg/L)
	<i>method or a fish consumption rate.</i>					
80	Methoxychlor ^I	72435	n	y	100	--
	^I The human health criterion for methoxychlor is the same as originally published in the 1976 EPA Red Book which predates the 1980 methodology and did not utilize the fish ingestion BCF approach. This same criterion value was also published in the 1986 EPA Gold Book. Human health risks are primarily from drinking water, therefore no "organism only" criterion was developed. The "water + organism" criterion is based on the Maximum Contaminant Level (MCL) established under the Safe Drinking Water Act.					
81	Methyl Bromide	74839	n	n	37	150
82	Methyl-4,6-dinitrophenol 2	534521	n	n	9.2	28
83	Methylene Chloride	75092	y	n	4.3	59
84	Methylmercury (mg/kg) ^J	22967926	n	n	--	0.040 mg/kg
	^J This value is expressed as the fish tissue concentration of methylmercury. Contaminated fish and shellfish is the primary human route of exposure to methylmercury					
85	Nickel	7440020	n	n	140	170
86	Nitrates ^K	14797558	n	n	10000	--
	^K The human health criterion for nitrates is the same as originally published in the 1976 EPA Red Book which predates the 1980 methodology and did not utilize the fish ingestion BCF approach. This same criterion value was also published in the 1986 EPA Gold Book. Human health risks are primarily from drinking water, therefore no "organism only" criterion was developed. The "water + organism" criterion is based on the Maximum Contaminant Level (MCL) established under the Safe Drinking Water Act.					
87	Nitrobenzene	98953	n	n	14	69
88	Nitrosamines	35576911	y	n	0.00079	0.046
89	Nitrosodibutylamine, N	924163	y	n	0.0050	0.022
90	Nitrosodiethylamine, N	55185	y	n	0.00079	0.046
91	Nitrosodimethylamine, N	62759	y	n	0.00068	0.30
92	Nitrosodi-n-propylamine, N	621647	y	n	0.0046	0.051
93	Nitrosodiphenylamine, N	86306	y	n	0.55	0.60
94	Nitrosopyrrolidine, N	930552	y	n	0.016	3.4
95	Pentachlorobenzene	608935	n	n	0.15	0.15
96	Pentachlorophenol	87865	y	y	0.15	0.30
97	Phenol	108952	n	n	9400	86000
98	Polychlorinated Biphenyls (PCBs) ^L	NA	y	y	0.0000064	0.0000064
	^L This criterion applies to total PCBs (e.g. determined as Aroclors or congeners).					
99	Pyrene	129000	n	n	290	400
100	Selenium	7782492	n	n	120	420
101	Tetrachlorobenzene, 1,2,4,5-	95943	n	n	0.11	0.11
102	Tetrachloroethane 1,1,2,2	79345	y	n	0.12	0.40
103	Tetrachloroethylene	127184	y	n	0.24	0.33
104	Thallium	7440280	n	n	0.043	0.047
105	Toluene	108883	n	n	720	1500
106	Toxaphene	8001352	y	y	0.000028	0.000028
107	Trichlorobenzene 1,2,4	120821	n	n	6.4	7.0
108	Trichloroethane 1,1,2	79005	y	y	0.44	1.6
109	Trichloroethylene	79016	y	n	1.4	3.0
110	Trichlorophenol 2,4,6	88062	y	n	0.23	0.24



No.	Pollutant	CAS No.	Carcinogen	Aquatic Life Criterion	Human Health Criteria for the Consumption of:	
					Water + Organism (µg/L)	Organism Only (µg/L)
111	<i>Trichlorophenol, 2, 4, 5-</i>	95954	n	n	330	360
112	Vinyl Chloride	75014	y	n	0.023	0.24
113	Zinc	7440666	n	n	2100	2600